

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** 10 | 760,334

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

 **PALM INTRANET**Day : Friday  
Date: 5/12/2006  
Time: 11:26:54

## Inventor Information for 10/760334

<b>Inventor Name</b>	<b>City</b>	<b>State/Country</b>
WHITE, ANDREW J.	PORT ORANGE	FLORIDA

<b>Appln Info</b>	<b>Contents</b>	<b>Petition Info</b>	<b>Atty/Agent Info</b>	<b>Continuity Data</b>	<b>Foreign Data</b>	<b>Inventors</b>
-------------------	-----------------	----------------------	------------------------	------------------------	---------------------	------------------

Search Another: Application#   or Patent#

PCT /  /   or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20050155658 A1	20050721	Hermetically sealed pressure balanced accumulator	138/31	138/30	White, Andrew J.
US 20020089326 A1	20020711	Position sensor	324/207.12	324/207.17; 324/207.24	Morrison, Euan et al.
US 6642710 B2	20031104	Position sensor	324/207.12	324/207.17; 324/207.24	Morrison; Euan et al.
US 6561022 B1	20030513	Position encoder	73/313	324/207.15; 324/207.24; 336/136; 340/623; 73/314	Doyle; Richard Alan et al.
US 3441925 A	19690429	WINDOW APPARATUS HAVING A SIGNAL [TEXT AVAILABLE IN USOCR DATABASE]	340/550	200/61.08; 200/61.93; 219/543	WHITE ANDREW J
US 3435530 A	19690401	GAUGE TO MEASURE TREAD DEPTH OF A TIRE [TEXT AVAILABLE IN USOCR DATABASE]	33/836		WHITE ANDREW J
US 3263503 A	19660802	Indicating instrument for a motor [TEXT AVAILABLE IN USOCR DATABASE]	73/431	116/284; 73/115; 73/740	WHITE ANDREW J
US 3246134 A	19660412	Indicating instrument with lighting means [TEXT AVAILABLE IN USOCR DATABASE]	362/26	116/286	WHITE ANDREW J
US 3138224	19640623	Brake having	188/78	116/208;	WHITE

A		means to indicate wear [TEXT AVAILABLE IN USOCR DATABASE]		188/1.11R; 188/1.11W; 188/250G	ANDREW J
US 3077339 A	19630212	Yieldable highway guard [TEXT AVAILABLE IN USOCR DATABASE]	256/13.1		WHITE ANDREW J
US 3056380 A	19621002	Brake lining [TEXT AVAILABLE IN USOCR DATABASE]	188/1.11R	156/64; 188/1.11W; 188/251A; 428/913	WHITE ANDREW J
US 2974934 A	19610314	Safety apparatus for highways [TEXT AVAILABLE IN USOCR DATABASE]	256/13.1		WHITE ANDREW J
US 2672756 A	19540323	Apparatus to indicate flow conditions [TEXT AVAILABLE IN USOCR DATABASE]	73/215	116/273; 356/433; 73/38; 73/53.05	WHITE ANDREW J